



BALDOR® • *RELIANCE*

Product Information Packet

NM3539


.5HP,1150RPM,3PH,60HZ,56,3524M,TENV,F1,N

Product Detail									
Revision:	A	Status:	PRD/A	Change #:		Proprietary:	No		
Type:	AC	Prod Type:	3524M	Elec. Spec:	35WGQ207	CD Diagram:	CD0005		
Enclosure	TENV	Mfg Plant:		Mech Spec:	35A026	Layout:	35LYA026		
Frame:	56	Mounting:	F1	Poles:	06	Created Date:	11-29-2007		
Base:	RG	Rotation:	R	Insulation:	F	Eff. Date:	12-08-2008		
Leads:	9#18	Literature:		Elec. Diagram:		Replaced By:			
Nameplate NP1256L									
CAT.NO.	NM3539								
SPEC.	35A026Q207G1								
HP	.5								
VOLTS	230/460								
AMP	2/1								
RPM	1150								
FRAME	56	HZ			60	PH	3		
SER.F.	1.15	CODE			K	DES	B	CLASS	F
NEMA-NOM-EFF	78.5	PF			54				
RATING	40C AMB-CONT								
CC				USABLE AT 208V					
DE	6205	ODE			6203				
ENCL	TENV	SN							

Parts List			
Product ID	Description	Quantity	List Price
SA166087	SA 35A026Q207G1	1.000	298.00
RA154468	RA 35A026Q207G1	1.000	248.00
S/P111-000-002	CORONA TEST, SUPER E MOTORS - FT. SMITH	1.000	
NS2512A01	INSULATOR, CONDUIT BOX X X	1.000	2.00
35CB3007	35 CB CASTING W/.88 DIA. LEAD HOLE	1.000	27.00
36GS1000SP	GASKET-CONDUIT BOX, .06 THICK #SV-330 LE	1.000	5.00
51XB1016A07	10-16 X 7/16 HXWSSLD SERTYB	2.000	2.00
11XW1032G06	10-32 X .38, TAPTITE II, HEX WSHR SLTD U	1.000	3.00
35EP3100M69	STD FR EP-TENV-35L OR M--203 BRG	1.000	31.00
HW5100A03SP	WAVY WASHER (W1543-017)	1.000	2.00
35EP3101A02SP	STD PU ENDPLATE-ENCL-205 BRG LESS GREASE	1.000	69.00
XY1032A02	10-32 HEX NUT DIRECTIONAL SERRATION	4.000	2.00
35CB4521	35 LIPPED CB LID (GALV & PHOSPH)	1.000	2.00
35GS1030	35 GS FOR CB LID - LEXIDE	1.000	2.00
51XW0832A07	8-32 X .44, TAPTITE II, HEX WSHR SLTD SE	4.000	2.00
HW2501D13SP	KEY, 3/16 SQ X 1.375	1.000	2.00
HA7000A04	KEY RETAINER 0.625 DIA SHAFTS	1.000	2.00
10XF0440S02	04-40 X 1/8 TYPE F HEX HD STAINLESS STIC	2.000	2.00
MJ1000A02	GREASE, POLYREX EM EXXON	0.050	10.00
MG1000G27	PAINT- S9282E CHARCOAL GREY	0.017	4,000.00
HA3100A18	THRUBOLT 10-32 X 9.250	4.000	2.00
LC0005E01	CONN.DIA./WARNING LABEL (LC0005/LB1119)	1.000	2.00
LB1125C01	STD (STOCK) CARTON LABEL BALDOR WITH FLA	1.000	2.00
NP1256L	NP STD LASER ENGRAVED, UL CSA CC, W/O TH	1.000	3.00

Parts List (continued)			
Product ID	Description	Quantity	List Price
35PA1066	PACKING GROUP COMBINED PRINT	1.000	13.00

35LYA026



CUSTOMER IS RESPONSIBLE FOR DETERMINING THAT BALDOR'S PRODUCT WILL PERFORM SUITABLY IN THE INTENDED APPLICATION.

REV. DESC: UPDATE KOLD GRAPHICS		
REV. LTR: L	VERSION: 03	TDR: 000000486011
FILE: \AAA\00002\477	REVISED: 13:58:23 12/30/2008	
MTL: -	BY: ENCHEBO	


BALDOR • DODGE • RELIANCE

STD HORZ 56 TENV 35M


SH 1 of 1

35LYA026

CD0005




LOW VOLTAGE
(2Y)



LINE

HIGH VOLTAGE
(1Y)



LINE

NOTES:

1. INTERCHANGE ANY TWO LINE LEADS TO REVERSE ROTATION.
2. OPTIONAL THERMOSTATS ARE PROVIDED WHEN SPECIFIED.
3. ACTUAL NUMBER OF INTERNAL PARALLEL CIRCUITS MAY BE A MULTIPLE OF THOSE SHOWN ABOVE.
4. LEAD COLORS ARE OPTIONAL. LEADS MUST ALWAYS BE NUMBERED AS SHOWN.

REV. DESC: REVISE TO SHOW OPTIONAL COLORS			
REV. LTR: E	BY: JLP	REVISED: 01/19/99 10:15	TDR: 0171435
90000		FILE: AAA00005140	MDL: -
		MTL: -	

BALDOR ELECTRIC Co.

3PH, DV, 9 LEADS

CD0005